Investigating the properties of strips...

mechanical properties of non-porous strips.

[Abstracter's note: Complete translation]

S/137/62/000/003/065/191 A006/A101

R. Andriyevskiy

Card 2/2

37569

\$/226/62/000/001/006/014

1003/1201

18.8100 1.1600

Katrus, O. A., Fedorchenko, I. M. and Vinogradov, G. A.

Author: Title.

INVESTIGATION OF THE MAGNETIC PROPERTIES OF IRON POWDER STRIPS

Periodical:

Poroshkovaya metallurgiya, no. 1(7), 1962, 37-44

The porosity substantially affects the value of the coercive force. An increase in porosity by 2% increases the coercive force by approximately 0.1 oersted. When iron strips with a 25% porosity are sintered at 1200°C in an atmosphere of hydrogen having a dew point of -30°C, they lose all their carbon and oxygen, while sintering at lower temperatures (1000-1100°C) decreases the carbon content to 0.03-0.02% leaving the amount of oxygen unaltered. The kinetics of grain growth of poreless iron powder strips is similar to that of coarse-grained steels. The magnetic properties of porcless iron powder strips pre-sintered at 1200°C and above and finally heat-treated at 900-1000°C meets the FOCT 3836-47 (GOST 3836-47) requirements for lowcarbon electrical grade sheet. There are 4 tables and 4 diagrams. English language reference: E. V Walker I. Howard, Iron and Steel Institute, V. 194 part I, 1960.

Association: Institut metallokeramiki i special'nykh splavov AN UkrSSR (Institute of Powder Metallurgy

and Special Alloys AS UkrSSR)

APPROVED FOR RELEASE: 06/13/2000

Submitted:

September 21, 1961

Card 1/1

CIA-RDP86-00513R000721120012-5"

"APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721120012-5

KATRUS, O.A.; VINOGRADOV, G.A.

Three-layer copper-iron-copper strips manufactured from powders Porosh.met. 2 no.5:60-67 S-0 '62. (MIRA 15:11)

1. Institut metallokeramiki i spetsial'nykh splavov AN UkrSSR. (Metal powder products) (Iaminated metals)

S/126/62/014/001/014/018 E073/E135

AUTHOR: , K

Katrus, O.A.

TITLE:

On the dependence of the coercive force on the sheet thickness of magnetically soft materials produced by

rolling of powders

PERIODICAL: Fizika metallov i metallovedeniye, v.14, no.1, 1962,

137-139

TEXT: Poreless strips 0.45-0.55 mm thick were produced by rolling carbonyl powder, reduced nickel powders, iron powder obtained by reducing scale and 65-permalloy powder. The strips were rolled on a four-high stand with rolls of 40 mm diameter. A 50-70% reduction was followed by annealing at 750-800 °C in hydrogen for one hour. Prior to measuring (with an accuracy of ± 3%) the coercive force, the specimens were annealed in hydrogen at 1000 °C for two hours. The curves obtained for all enumerated materials are similar: virtually no change in the coercive force was observed for thicknesses down to 90-100 microns; a continuous increase when the thickness decreases from Card 1/2

On the dependence of the coercive... S/126/62/014/001/014/018 E073/E135

90-100 microns to 30-40 microns; and a very sharp increase with decreasing thickness below 30-40 microns. The results indicate that the dependence of the coercive force on the thickness is general, regardless of how the material is produced, but is less pronounced for strips produced by rolling of powders.

There are 1 figure and 1 table.

ASSOCIATION: Institut metallokeramiki i spetsial minisplavov

AN USSR

(Institute of Cermets and Special Alloys,

AS Ukr.SSR)

SUBMITTED: November 28, 1961

Card 2/2

s/226/63/000/002/005/014 A006/A101

AUTHOR:

Katrus, O. A.

TITLE:

Activated sintering of magnetic-soft iron

PERIODICAL: Poroshkovaya metallurgiya, no. 2, 1963, 38 - 42

فالمسترفق والمعداء فالأعاد والمار والراب والمعارف The appearance of coercive force in cermet-iron was the main problem of the investigation. The following experiments were performed: determining the effect of optimum concentration of P and Sb admixtures upon the magnetic properties; determining the effect of optimum temperature in pre-sintering up of the final physico-chemical properties of poreless strips; investigating us not of specimens alloyed with P. Iron powder reduced from ATHM (APENM) sinter as employed. The specimens contained 1 - 6% Sb, and 0.25, 0.50, 0.75, 1.00, 1.25, and 1.50 weight % P. The powders were dried, annealed and rolled. Strips with phosphorus were sintered at 1,100 and 1,200°C during 1 - 2 hours and strips with Sb at 1,200°C during 2 and 3.5 hours. The optimum amounts of alloying elements were 0.5 - 0.75% P and 5 - 6% Sb. Additional pressing and compression rolling of specimens with optimum amounts of alloying elements do not entail an increase

Card 1/2

3/226/63/000/002/005/014 **A006/**A101

Activated sintering of magnetic-soft iron

in the magnetic properties, since the alloying effect is probably connected with an intensified sintering process (shrinkage, intensive pore spheroidizing). Changes in the coercive force were determined in specimens alloyed with i jurish aging at 600 and 300°C. Specimens without P were rolled until poreless state. The absence of the aging effect in phosphorous iron is probably connected with the fact, that no phosphide is singled out during transition over the solubility limit, and ferrite sections with higher P content are formed. This assumption, advanced by E. Gudremon, was confirmed by microstructural investigations. The results obtained show the possibility of simultaneous proceeding of refining, grain growth, and volume shrinkage during the appearance of magnetic-soft properties in iron alloyed with P and Sb. There are 5 figures.

ASSOCIATION: Institute metallokeramiki i spetsial nykh splavov AN USSR (Institute of Cermets and Special Alloys, AS UkrSSR)

SUBMITTED: April 22, 1962

Card 2/2

KATRUS, O.A.; VINOGRADOV, G.A.

Three-layer strips, copper-iron-copper made of powders. Trudy
(MIRA 16:7)
LPI no.222:58-63 '63.
(Powder metallurgy) (Laminated metals) (Rolling (Metalwork))


"APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721120012-5


KATRUS, O.A.

Activated sintering of magnetically-soft iron. Trudy LPI no.222: 77-78 '163. (MIRA 16:7) (Sintering) (Metal powders-Magnetic properties)

APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721120012-5"

"APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721120012-5





"APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721120012-5

KATRUE, O.A.; VINOGRAZZO, G.A.

Calculating the minimum speed of powder relling. Porosh. met. 5
(MIRA 18:5)
no.4:9-12 65.

1. Institut problem materialovedoniya AN UkrSSR.

KATRUS, O.A.; VINOGRADOV, G.A.

Manufacturing electrodes by powder rolling. Forosh. met. 5 no.9:28-33 S 165. (MIRA 18:9)

1. Institut problem materialovedeniya AN UkrSSR.

EPF(n)-2/EWP(k)/EWT(m)/ETC(f)/EWG(m)/T/EWP(t)/EWP(e) L 18875-66 ACC NR DS/JD/HW/JG AP5022542 SOURCE CODE: UR/0226/65/000/009/0028/0033 AUTHOR: Katrus, O. A.; Vinogradov, G. A. ORG: Institute of Problems of Science of Material, AN UkrSSR (Institut problem materialovedeniya AN Ukr SSR) TITLE: Experience in manufacturing electrodes by rolling powders SOURCE: Poroshkovaya metallurgiya, no. 9, 1965, 28-33 TOPIC TAGS: metal powder, electrode patential, wear resistant alloy, metal surfacing, metal rolling, die ABSTRACT: The technology of manufacturing electrode strips for mechanized surfacing of machine parts by a wear resistant aging allog Fe-Cd-Mo has been worked out. Plant tests of cut dies built up by means of these electrodes in accordance with the technology elaborated by the Institute of Electric Welding im. Ye. O. Paton of the Academy of Sciences UkrSSR, gave good results. Orig. art. has: 5 figures and 1 table. [Based on author's abstract.] [NT] SUB CODE: 09,13,11/CUBM DATE: 15Jun64/ ORIG REF:

EWY(K)/EWT(m)/EWP(e)/EWP(t)/ETI $\mathrm{LIP}(c)$ #F/ Ji) SOURCE CODE: UR/0226/66/000/001/0081/0084 ACC NR: AP6017106 (N) AUTHORS: Katrus, O. A.; Kovalev, S. N.; Vonogradov, G. A.; Bernik, Ye. B. F_{j} ORG: Institute for Problems of Materials Behavior, AN UkrSSR (Institut problem materialovedeniya AN UkrSSR); Ukrainian Scientific Research Institute for Super-Hard Materials (Ukrainskiy nauchno-issledovatel'skiy institut sverkhtverdykh materialov) TITLE: Manufacture of a diamond tool by powder rolling 4 SOURCE: Poroshkovaya metallurgiya, no. 1, 1966, 81-84 TOPIC TAGS: abrasive, diamond, powder metal compaction, Londfool ABSTRACT: AA method for manufacturing a diamond abrasive tool by hot rolling diamond and bronze powders is described. The effect of rolling temperatures on the abrasive stability of the tool was investigated. Hot rolling at 730--7500 increases the stability of the tool by 4-5 times compared with the stability achieved by cold rolling. A photograph of the tool is presented. It is concluded that hot rolling diamond and metal powders offers good possibilities for the manufacture of diamond abrasive tools. Orig. art. has: 1 photograph. SUBM DATE: OlJun65/ ORIG REF: 005/ OTH REF: OOL SUB CODE:/3.11/

L L1635-66 EWT(m)/EWP(e)/EWP(w)/T/EWP(t)/ETI/EWP(k) IJP(c) JD/HW

ACC NR: AP6007284 SOURCE CODE: UR/0226/66/000/002/0031/0039

AUTHOR: Katrus, O. A.

ORG: Institute of Material Science Problems, AN UkrSSR (Institut problem materialovedeniva AN UkrSSR)

TITLE: Some problems of sintering and compacting rolled stock from powders

SOURCE: Poroshkovaya metallurgiya, no. 2, 1966, 31-39

TOPIC TAGS: powder metallurgy, powder metal compaction, powder metal sintering, metallographic examination, POROSITY

ABSTRACT: Some general principles are developed for the sintering and compacting of rolled stock made from Cu, Nivend Fe powders. Rolled strips with 20-25% porosity were sintered in hydrogen for 10 and 30 min at 0.7-0.85 of the melting temperature. After sintering the rolled stock to a porosity of 2-6%, the samples were annealed at 850°C for 30 min. Upon annealing, blistering occurred on the surfaces of Ni and Cu strips as a result of incomplete reduction of oxides during sintering. These blisters closed up easily after skin rolling but reappeared if annealed. In rolled Ni and Cu strips compacted to a final porosity less than 10%, blisters appeared upon sintering in hydrogen. The compacting process was analyzed phenomenologically and the %-reduction $\Delta H/H_0$ was given by the equation:

 $\frac{\Delta H}{H_0} = \mu_n \cdot z \cdot \frac{HH_0 - H^0}{H_0^2},$

Card 1/2

L 41635-66

ACC NR: AP6007284

where μ_{p} is the coefficient of extension of the porous material, z is the degree of compacting, H_0 is the initial sample thickness and H is the final sample thickness. The relationship between the degrees of compacting and extension for changes in $\Delta H/H_0$ were determined by the changes of principal stress on the arc content of porous material with the roll. The changes in density and $\mu_{_{\mathrm{D}}}$ are given as functions of $\Delta H/H_{0}$ % for compacting of Fe and Cu on 40 and 150 mm diameter rolls. For similar $\Delta H/H_0$ % and for different starting densities, the density of compacted strips was always great er for the 150 mm roll. By decreasing the compacting speed the metals increased in density and strength. The structural changes obtained during roll-compacting were studied. The changes in pore diameter and density were given for AH/Ho values of 42, 75 and 92.5%. Microstructures were shown of the original and compacted conditions of Fe powder for the above values of ΔH/H₀ and after annealing at 1200°C for 2 hrs. In samples of carbonyl Ni and Fe, almost zero porosity was observed after deforming 75--80% and annealing at 900°C for 2 hrs. The tensile strength of Fe strips was given as a function of $\ln \omega_0/\omega_p$ for different processing conditions, where $\omega_0/\omega_f^{*z=\mu_p}$. The results agreed with theoretical equations derived by I. N. Frantsevich and M. Yu.

Bal'shin. Orig. art. has: 6 figures, 1 table, 4 equations.

SUB CODE: 11/

SUBM DATE: 01Jun65/

ORIG REF: 008/

OTH REF: 004

Card 2/2 af

"APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721120012-5

KATRISH, R.V.

Improving the preliminary refining of petroleum. Neft. i gaz prom.
(MIRA 17:12)
no.4:55-56 0-D '63.

1. Ukrainskiy sovet narodnogo khozyaystva.

"APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721120012-5

KATRUSHANNO, A. G., ROGOZIN, I. I., and KRYKOV, V. N.


Physiological Fundamentals of the Vaccinal Process. Voyenno-meditsinskiy Zhurnal, No 1, p 48, 1955.

APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721120012-5"

"APPROVED FOR RELEASE: 06/13/2000

CIA-RDP86-00513R000721120012-5

UR/0239/67/053/001/0123/0124 SOURCE CODE: ACC NR: AP7003917 AUTHOR: Katrushenko, A. G.; Yushkin, A. A. ORG: Department of Comparative Physiology and Pathology, Institute of Experimental Medicine, ANN SSSR, Leningrad (Otdel sravnitel noy fiziologii i patologii Instituta eksperimental noy meditsiny AMN SSSR) TITLE: Technique for investigating the effect of ionized air and electrical fields San to the first on animals SOURCE: Fiziologicheskiy zhurnal SSSR, v. 53, no. 1, 1967, 123-124 TOPIC TAGS: animal experiment, aproximization, electric field, electric biologic effect, posone conizing reliation hologic effect ABSTRACT: A technique is proposed for conducting physiological experiments on animals to study the effect of ionized air and electrical fields under controlled physical conditions. The technique employs the principle of hemispherical shielding chambers in the center of which is a generator which produces an equipotential field in the experimental chambers. The components of the system for studying the effect of aero-ionization and electric fields on small animals are shown in Fig. 1. Orig. art. has: 1 figure. UDC:--615.847(018)



Katrushenko, I. N.; Klyachkin, L. M.; Pilyushin, P. V.; Pinchuk, V.P.; Molchanov, N. S.; Kuznetsova, V. P.--Leningrad

"Functional Disturbances and Morphological Changes of Internal Organs in Burn Disease."

report submitted for the 27 Congress of Surgeons of the USSR, Moscow, 23-28 May 1960.

APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721120012-5"

KATRUSIENKO, L.Y.

Photosynthetic adaptation to light in the perennial needles of the young growth of the source Photos abies (I.) Karat. Bot. abur. 50 no.8:1119-1120 Ag 165. (MIRA 18:10)

1. Laboratoriya legovedeniya AN SSSR, selo Depenskayo.

APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721120012-5"

KATRUSHENKO, I.V.

Potential intensity of the photosynthesis of a young sir to growth under various light conditions. Bot. zhur. 50 no.1:91-95 Ja 165.

(MIRA 18:3)

1. Laboratoriya lesovedeniya, Moskovskaya oblasti, selo Usien-skoye.

KLYACHKIN, L.M.; KATRUSHENKO, R.N.; YAKOVLEV, V.A.; GRIB, V.P.

Changes in the hemodynamics in purn disease. Vest. AMN SSSR. 18 no.10:9-15 '63. (MIRA 17:6)

1. Voyenno-meditsinskaya ordena Lenina akademiya imeni Kirova.

KLYACHKIN, L.M., kand.med.nauk (Leningrad, D-28, Liteynyy pr., d.26, kv.562); PINGHUK, V.M., kand.med.nauk; KHREBTOVICH, V.N.; KATRUSHENKO, R.N.

Burns of the respiratory tract. Vest.khir. 89 no.11:41-48 N '62. (MIRA 16:2)

1. Iz kafedry termicheskikh porazheniy (nachal'nik - prof. T.Ya. Ar'yev) i nauchno-issledovatel'skoy ozhogovoy laboratorii (nachal'-nik - doktor med.nauk Ye.V. Qu'ller) oyenno-meditsinskoy ordena Lenina Akademii imeni S.M. Kirova (nauchnyy rukoveditel' - prof. N.S. Molchanov).

(HURNS AND SCALDS)
(HESPIRATORY ORGANS—WOUNDS AND INJURIES)

LEDYASHOV, O.A.; KATRYSHEV, I.Ye.

Variation in the indices of the simultaneous operation of a pump and a turbodrill turbine when using heavy muds. Izv.vys. ucheb.zav.; neft' i gaz 7 no. 1:17-22 '64. (MIRA 17:7)

1. Groznenskiy neftyanoy institut.

KATS, A.; SHMILOVICH, E.

Modernization of the 4000M automatic loader. Mor. flot 25 no.4: 15-16 Ap '65. (MIRA 18:6)

1. Rukovoditel' gruppy otdela portovoy mekhanizatsii TSentral'nogo proyektno-konstruktorskogo byuro-3 (for Kats). 2. Starshiy inzh. garazha avtopogruzchikov Odesskogo porta (for Shmilovich).

KATS, A.

Economic theory and the use of mathematics in economics. Vop. ekon. no.11:92-103 N '60. (MIRA 13:11)

(Economics, Mathematical)

Vending machine for selling milk in glasses. Sov. torg. 33 no.5:

44-46 My '60.

(Kiev--Vending machines)

KATS, A.

Incompatibility of the category of average profit with a socialist economy. Vop.ekon. no.4:59-71 Ap '61. (MIRA 14:3) (Profit)

"APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721120012-5

KATS, A., kand.tekhn.nauk Drying painted surfaces by heat radiation. Avt.transp. 40 no.2: 30-32 F '62. (MIRA 15:2) (MIRA 15:2)

(Motor vehicles--Painting)

KATS, A., inzh.

New tasks for calculating machine units. NTO 3 no.12:28:30 D *61. (MIRA 15:1)

DVOYEGIAZOV, B.; SHMILOVICH, E., gruppovyy mekhanik po remontu; KATS,A., gruppovyy mekhanik po remontu

Reply to Novorossiisk mechanizers. Mor.flot 22 no.12:45 D '62. (MIRA 15:12)


1. Zamestitel' nachal'nika rayona po mekhanizatsii Odesskogo porta (for Dvoyeglazov).

(Cargo handling-Equipment and supplies)

KATS, A.

Comparison of the industrial labor productivity of the Soviet Union and the principal capitalist countries. Stat szemle 37 no.6:587-601 Je 179.

"APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721120012-5



KATS, A., kand.tckhn.nauk

New painting materials. Avt.transp. 42 no.12:24-27 D 164. (MIRA 18:4)

KATS, A.B.

Technology-

New adhesive substances in the production of leather goods, Moskva, Gizlegprom. 1951

9. Monthly List of Russian Accessions, Library of Congress, December 19532 Unclassified.

KATS, A.G.

15-1957-7-9266

Translation from: Referativnyy zhurnal, Geologiya, 1957, Nr 7,

p 69 (USSR)

AUTHOR:

Kats, A. G.

TITLE:

The Volcanic Deposits of the Southern Border of the Aldanskiy Shield (Ob effuzivnykhpokrovakh yuzhnoy

okrainy Aldanskogo shchita)

PERIODICAL:

Tr. Vses. aerogeol. tresta, 1956, vol 2, pp 167-168

ABSTRACT:

Young volcanic rocks have been found along the northern border of the Tokarikan River depression at the Gonam tributary. The rocks are divided into two units: the lower consists of leucocratic plagioclase porphyrites and biotite-hornblende porphyrites; the upper contains uniform felsites and quartz porphyrites. Fine-grained crystal tuffs are present in the sequence. The total thickness is 320 m. These rocks were formerly considered to be hypabyssal stocks intruded into Middle and Upper Jurassic deposits. Their

Card 1/2

The Volcanic Deposits of the Southern Border of the Aldanskiy Shield (Cont.)

volcanic nature and their position on top of the Jurassic rocks are now clearly established. Their age has been determined provisionally as Upper Jurassic-Lower Cretaceous.

Card 2/2

S. P. Bryzgalina

AUTHORS: Arkhangel'skaya, V.V., and Kats, A.G. SOV/12-90-6-6/23

TITLE: The Annular Mountain Range "Konder" (Kolitsevoy khrebet

Konder)

PERIODICAL: Izvestiya vsesoyuznogo geograficheskogo obshchestva, 1958,

Vol 90, Nr 6, pp 537 - 541 (USSR)

ABSTRACT: In the Uchuro-Mayskiy Rayon, Amur Oblast', between the valleys of the Rivers Maya and Omnya (the right tributary of the

River Aim), above the low swamped flat top mountains of the Aldan Plateau, rises the bare mountain of the Konder mountain range - one of the most interesting and peculiarly shaped forms of the relief of this region. The mountain was explored for the first time in 1936 by B.P. Kulesh, then in 1940 by A.K. Matveyev. There is no information on it in published literature. In 1956, the authors conducted geological research on and around the mountain. Some of the results are set forth in this article. They describe the outer appearance of the mountain range forming the mountain, and the deep crater-like hollow within the range. The depression is drained by the "Konder" River, which is

Card 1/2 formed by the confluence of numerous springs. The river

"APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721120012-5

The Annular Mountain Range "Konder"

SOV/12-90-6-6/23

flows through the hollow in a meridional direction. The authors outline the geological structure of the range. In its positive form of relief, the mountain has undoubtedly risen because of endogenous factors. The aggregate of all the factors mentioned in the article caused the present morphology of this mountain "Konder". There are 1 photo, 1 geological chart and 2 Soviet references.

Card 2/2

ARKHAGEL'SKAYA, V.V.; KATS, A.G.

Mesozoic igneous rocks in the eastern margin of the Aldan shield Sov.geol. 2 no.4:67-82 Ap '59. (MIRA 12:7)

1. Vsesoyuznyy institut mineral'nogo syr'ya i Vsesoyuznyy aerogeologicheskiy trest.

(Aldan Plateau—Pocks, Igneous)

KATS, A.G.

Archean stratigraphy of the southwestern part of the Aldan Shield.

Trudy VAGT no.8:90-92 '62. (MIRA 15:11)

(Aldan Plateau-Geology, Stratigraphic)

NEYELOV, A.N.; GLEBOVITSKIY, V.A.; KATS, A.G.; KOPAYEVICH, L.V.; SEDOVA, I.S.

Southwestern boundary and age of the Aldan Shield. Geol. i geofiz. no.11: 52-59 162. (MIRA 16:3)

1. Laboratoriya geologii dokembriya AN SSSR, Leningrad. (Aldan Plateau—Geology)

PA 233T90

KATS, A. I.

USSR/Geophysics - Earthquakes

1950

"Vibrations of Buildings and Ground as a Result of Explosions," A. I. Kats, S. V. Puchkov

"Trudy Geofiz Inst" No 9 (136), pp 123-126

Basic results of authors' measurements of subject vibrations, as a result of using powerful explosives (1,180 tons) in Shchekino, Tula Oblast, in Mar 49.

233190

"APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721120012-5

KATS, A. I.

Kats, A. I.

"Investigation of the Process of Cutting Soft Limestone." Min H₁gher Education USSR. Moscow Order of Labor Red-Banner Construction Engineering Inst imeni V. V. Kuybyshev. Moscow, 1955. (Dissertation for the Degree of Candidate in Technical Sciences.)

SO: Knizhnaya Letopis', No. 27, 2 July 1955

KATS, A. I.

"Elements of Complex Synthetic Activity in the Lowest Apes," Thesis for degree of Cand. Biological Sci. Sub 22 Feb 50, Moscow Order of Lenin State U imeni M. V. Lomonosov.

Summary 71, 4 Sept 52. Dissertations Presented for Degrees in Sci. and Engi. in Moscow in 1950. From Vechernyaya Moskva. Jan-Dec 1950.

ZANKOVICH, L.A.; KATS, A.I.

Pheumoconioses in electric welders. Zdrav. Bel. 9 no.3%43-44 Mr.63 (MIRA 16%12)

1. Iz sanitarno-epidemiologicheskoy stantsii Zavodskogo rayona Minska (glavnyy vrach P.F.Filipenko).

"APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721120012-5

KATS, A. I.

"Formirovaniye metatel'nogo akta u nizshikh obyea'yan i jego znacheniye dlya antropogeneza."

report submitted for 7th Intl Cong, Anthropological & Ethnological Sciences, Moscow, 3-10 Aug 64.

ABRAMOV, V.A.; ALEKSEYEY, A.M.; AL'TER, L.B.; ARAKELYAN, A.A.; BAKIANOV, G.I.;
BASOVA, I.A.; BLYUMIN, I.G.; BOGOMOLOV, O.T.; BOR, M.Z.; BREGEL',
E.Ya.; VEYTSMAN, N.R.; VIKERT'YEV, A.I.; GAL'TSOV, A.D.; GERTSOVSKAYA,
B.R.; GIADKOV, I.A.; DVORKIN, I.H.; DRAGILEV, M.S.; YEFIMOV, A.N.;
ZHAMIN, V.A.; ZHUK, I.N.; ZAMYATNIN, V.N.; IGNAT'YEV, D.I.; IL'IN,
M.A.; IL'IN, S.S.; IOFFE, Ye.A.; KAYE, V.A.; KAMENITSER, S.Ye.;
KATS. A.I.; KLIMOV, A.G.; KOZLOV, G.A.; KOLGANOV, M.V.; KONTOROVICH,
V.G.; KRAYEV, M.A.; KRONROD, Ya.A.; LAKHMAN, I.L.; LIVANSKAYA, F.V.;
LOGOVINSKAYA, R.L.; LYUBOSHITS, L.I.; MALYSH, A.I.; MENZHINSKIY,
Ye.A.; MIKHAYLOVA, P.Ya.; MOISEYEV, M.I.; MOSKVIN, P.M.; HOTKIN,
A.I.; PARTIGUL, S.P.; PERVUSHIN, S.P.; PETROV, A.I.; PETRUSHOV, A.M.;
PODGORNOVA, V.M.; RABINOVICH, M.A.; RYVKIN, S.S.; RYNDINA, M.N.;
SAKSAGANSKIY, T.D.; SAMSONOV, L.N.; SMEKHOV, B.M.; SOKOLIKHIN, S.I.;
SOLLERTINSKAYA, Ye.I.; SUDARIKOV, A.A.; TATAR, S.K.; TERENT'YEV,
P.V.; TYAGAY, Ye.Ya.; FEYGIN, Ya.G.; FIGURNOV, P.K.; FRUMKIN, A.B.;
TSYRLIN, L.M.; SHAMBERG, V.M.; SHAPIRO, A.I.; SHCHERKOV, S.A.;
EYDEL'MAN, B.1,; EKHIN, P.E.; MITROFAHOVA, S., red.; TROYANOVSKAYA, N.,
tekhn.red.

[Concise dictionary of economics] Kratkii ekonomicheskii slovar'.

Moskva, Gos.izd-vo polit.lit-ry, 1958. 391 p. (MIRA 11:7)

(Economics-Dictionaries)

KATS, Adol'f Iosifovich; ARZUMANYAN, A.A., akademik, otv. red.;

KEREMETSKIY, Ya.N., red.; PRUSAKOVA, T.A., tekhn. red.;

DOROKHINA, I.N., tekhn. red.

[Condition of the U.S. proletariat under imperialism]Polozhenie proletariata SShA pri imperializme. Moskva, Izd-vo Akad. nauk SSSR, 1962. 603 p. (MIRA 15:12)
(United States—Labor and laboring classes)

CHUKHNO, A.A.; KOZLOV, G.A.; KASHCHENKO, A.I.; AGANBEGYAN, A.G.; VOLKOV, M.I.; ZHUKOVSKIY, Ya.M.; NAGORNYY, A.F.; TSAGOLOV, N.A.; KOVALEVA, M.F.; PAVLOV, P.M.; ATLAS, M.S.; KATS, A.I.; NAROVLYANSKIY, N.G.; ANCHISHKIN, I.A.; SPIRIDONOVA, N.S.; KRONROD, Ya.A.; SULIMOV, I.A.; BPEGEL', E.Ya.; ROZENMAN, Ye.S.; VARTANYAN, K.A.; NOVIKOV, V.A.; GATOVSKIY, L.M.

Structure and content of the course on the economics of socialism. Vop. ekon: no.6:57-143 Je '62. (MIRA 15:6)

1. Kiyevskiy gosudarstvennyy universitet (for Chukhno). 2. Vysshaya partiynaya shkola pri TSentral'nom komitete Kommunisticheskoy partii Sovetskogo Soyuza (for Kozlov, Volkov, Zhukovskiy). 3. Yaroslavskiy gosudarstvennyy pedagogicheskiy institut (for Kashchenko, Narovlyanskiy, Sulimov). 4. Institut ekonomiki i organizatsii promyshlennogo proizvodstva Sibirskogo otdeleniya AN SSSR (for Aganbegyan). 5. Institut povysheniya kvalifikatsii prepodavateley obshchestvennykh nauk pri Kiyevskom gosudarstvennom universitete (for Nagornyy). 6. Moskovskiy gosudarstvennyy universitet (for TSagolov, Spiridonova). 7. Akademiya obshchestvennykh nauk pri TSentral'nom komitete Kommunisticheskoy partii Sovetskogo Soyuza (for Kovaleva). 8. Leningradskiy finansovo-ekonomicheskiy institut (for Pavlov). 9. Moskovskiy finansovyy institut (for Atlas). 10, Nauchno-issledovatel'skiy institut truda (for Kats). 11. Institut ekonomiki AN SSSR (for Anchishkin, Kronrod). 12. Moskovskiy ekonomiko-statisticheskiy institut (for Bregel!). 13. Moskovskiy energeticheskiy institut (Continued on next card)

CHUKHNO, --- (Continued) Card 2.

(for Rozenman). 14. Armyanskiy sel'skokhozyaystvennyy institut (for Vartanyan). 15. Permskiy politekhnicheskiy institut (for Novikov). 16. Chlen-korrespondent Akademii nauk SSSR, glavnyy redaktor zhurnala "Voprosy ekonomiki" (for Gatovskiy).

(Economics-Study and teaching)

KATS, Adol'f Iosifovich; KATASHOVA, R.I., red.

[Labor productivity in the U.S.S.R. and the main capitalist countries] Proizvoditer nost truda v SSSR i glavnykh kapitalisticheskikh stranakh. Moskva, Ekonomika, 1964. 245 p. (MIRA 17:4)

KATS, Adol'f Iosifovich; DUEROVSKIY, Yu.N., red.

[Encouraging the efficient work of enterprises; the worker's productivity per unit of production funds]
Stimulirovanie effektivnoi raboty predpriiatii; chelovekofondo-produktsiia. Moskva, Ekonomika, 1964. 157 p. (Obsuzhdaem problemy sovershenstvovaniia planirovaniia, no.8)
(MIRA 17:12)

NESTEROV, A.I., podpolkovnik meditsinskoy sluzhby; KATS, A.I., podpolkovnik meditsinskoy sluzhby, kandidat biologichoskikh nauk

Sectional field rack for blood ampullae. Voen.-med. zhur. no.10: 82 0 '55. (MIRA 9:10) (BLOOD--TRANSFUSION)

KATS, A.I., podpolkovnik meditsinskoy sluzhby, kandidat biologicheskikh nauk; RESTEROV, A.I., podpolkovnik meditsinskoy sluzhby

Apparatus for checking the air in blood transfusions. Voen.-med.shur.
no.9:87-88 S '56.
(BLOOD-TRANSFUSION) (PHYSIOLOGICAL APPARATUS)

"APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721120012-5

KATS, A.I., podpolkovnik meditsinskoy sluzhby, kand.biologicheskikh nauk

Protective cover for a bandaged wound; abstract. Voen.-med.zhur. no.3:80 Mr '61. (MIRA 14:7)

KATS, A.L., inghener.

Using small-sized weak current devices for autematic control of production processes. Vest. elektroprom. 28 no.3:35-38 Mr '57.

(MIRA 10:4)

1. Tyazhpremelektreproyekt.
(Automatic control)

KATS, A.L.

Concerning the article of L.A. Vitel's "Group characteristics of analogues." Meteor. i gidrol. no.4:38-43 '48.(MLRA 8:2) (Weather forecasting)

KATS, A. L.

"Change in the Direction of Air Mass Transfer in the Troposphere With the Change of Natural Synoptic Periods," Meteorology and Hydrology, Issue No. 4, Leningrad, December 1950.

KATI, A. L.

đ

Kats, A.L.

Porecasts of weather a short time (with diagrams & bibliography) shead Prognozui Pogodui maloi zablagovremennosti Gidrometeoisdat, Leningrad

3950, 75

British Euseum Library

From: D.S.I.R. Trans. com. list of R.-Per. No. 33, Dec. 1951, p. 105 Erit. Museum Lib., Dept. of Printed books, North Library, Brit. Museum Lib.

KATS, A. L.

"Problem of the Determination of the Poundaries of Natural Synoptic Feriods, " Meteorol, i didrologiya, No 30, 1953, pp 36-39

The author presents a number of definitions of the natural synoptic period (NSP), beginning with V P. Mul'tanovskiy's Osnovnyye polozheniya sinopticheskogo metoda dolgosrochnykh prognozov pogody, Ch. I. (Fundamental Positions of the Synoptic Method of Long-Range Weather Forecasting, Part I), TsUYeCh'S, Moscow, 1933, and briefly reports on the results of investication of the problem of NSF up to 1953. The author notes that on the basis of the definition of S. T. Pagava (Trudy NIU CUCNS, Ser. II, No 20, 1946) in the Central Institute of Forecasting the duration of the average, this duration amounts to 6 days; here periods of duration from 5 to 7 days are observed in 92.5% of all the cases. Preservation of fields of stable monotypical circulation in the MSP is not always due to the conservation of an individual taric formation; therefore it is necessary correspondingly to review the earlier given recommendations for the establishment of the boundaries of NSP. In operations it is impossible to disregard even those criteria for the determination of the boundaries of the NSP which in individual cases are correct but not universal, and which were obtained in the process of rany years' development of a procedure for long-range forecasting of small beforehandedness (zablagovremennost!). (RZhGeol. No 5, 1954)

SO: Sum No. 568, 6 Jul 55

"APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721120012-5

KATS, A.L.

AID P - 1859

Subject

: USSR/Meteorology and Hydrology

Card 1/2

Pub. 71-a - 2/26

Author

: Kats, A. L., Kand. of Geographical Science

Title

Quantitative characteristics of horizontal components of the general circulation of the atmosphere in the northern hemisphere

Periodical

: Met. i gidro., no.2, 7-12, 1955

Abstract

The author studies the intersity of the circulation of air masses at different levels with equations and tables and concludes that meridional circulation depends upon the temperature gradient between the ocean and the continent as zonal circulation depends upon the temperature gradient between the equator and the pole. The maximum intensity of meriodional circulation is found in the lower troposphere and increases toward the north, with a maximum in the areas between 30 and 50° northern latitude 6-10 km above the earth level. Three diagrams are given. One Russian reference, dated 1954.

KATS, A.L.; TYURINA, K.L.

Circulation characteristics of the 1953/54 winter. Meteor. i gidrol. no.1:25-29 % 156.

(Atmosphere)

KATS, A.L.

PHASE I BOOK EXPLOITATION

361

Moscow. Tsentral'nyy institut prognozov.

Trudy. vyp. 49: Voprosy dologosrochnykh prognozov (Transactions. v. 49: Problems in Long-range Forecasting) Leningrad, Gidrometeoizdat, 1957. 287 p. 1,250 copies printed.

Sponsoring Agency: Glavnoye upravleniye gidrometeorologicheskoy sluzhby pri Sovete Ministrov SSSR.

Ed.: (title page): Morskoy, G.I.; Ed. (inside book): Shatilina, M.K.; Tech. Ed.: Braynina, M.I.

PURPOSE: The collection of articles is intended for specialists in the field of weather forecasting, especially those interested in long-term prognostication.

COVERAGE: The articles in this collection illustrate the present position of long-range weather forecasting. The problems discussed include the formulation of large mid-monthly

Card 1/ 10

3

Problems in Long-range Forecasting

361

temperature anomalies, the analysis of cycles and anti-cyclcogenesis in meridional circulation and factors causing the appearance of autumnal frosts together with possibilities for forecasting them.

TABLE OF CONTENTS:

Morskoy, G.I.; Semenov, V.G.; and Kats, A.L. Formation of Air Temperature Anomalies on Soviet Territory in the Winter Months

The authors define the term anomaly (or a larger anomaly) as a departure from a certain average climatological pattern, or, in other words, from the average temperature during a given period. The authors survey the occurrence of mean temperature anomalies during three winter months (December, January, and February) and analyze possibilities of forecasting such anomalies for one month in advance. In general, wide departures

Card 2/10,

Problems in Long-range Forecasting

361

from average temperatures are believed to be caused by disturbances in the interrelationship between air circulation and thermal conditions at the surface layer of the atmosphere. The entire article is divided into three chapters each treating one separate factor causing the occurrence of anomalies. In the first-chapter, G.I. Morskoy states that the horizontal transfer of air masses is the main factor in the formation of average temperature anomalies. He also deduces the ratio between the zonal circulation of the atmosphere and the general thermal conditions of the atmosphere. The author suggests a new mathematical approach in calculating the mean monthly temperature anomalies for absolute topography at the 500 millibar level. In Chapter 2, V.G. Semenov analyzes the influence of the surface layer of the atmosphere on the transfer of air masses and how this transfer causes the occurrence of anomalies. In the third chapter, A.L. Kats surveys the meridional and latitudinal circulation of the atmosphere and evaluates the contribution

Card 3/10

APPROVED FOR RELEASE: 06/13/2000

CIA-RDP86-00513R000721120012-5"

3(3)

PHASE I BOOK EXPLOITATION

SOV/1232

Kats, Abram L'vovich

Predskazaniye pogody na tri-sem' dney (Forecasting Weather for Three to Seven Day Periods) Leningrad, Gidrometeoizdat, 1958. 131 p. 3,000 copies printed.

Ed.: Sagatovskiy, N.V.; Tech. Ed.: Soloveychik, A.A.

PURPOSE: The book is intended primarily for synopticists and meteorologists, but may be useful to anyone interested in weather forecasting problems.

COVERAGE: The author presents and discusses the systematized scientific principles developed during the last few years in the USSR for forecasting weather 3-7 days in advance. The present booklet is an enlarged and improved edition of a brochure entitled Prognozy pogody maloy zablagovremennosti (Short-range Weather Forecasting), published in 1950. No personalities are mentioned. The text contains 32 maps, 3 tables, and 65 bibliographic references, 56 of which are Soviet, 3 German, and 5 English.

Forecasting Weather for Three (Cont.)	SOV/1232
TABLE OF CONTENTS:	
Author's Note	5
Introduction	5
Ch. I. Basic Principles in the Study Macroprocesses Materials necessary for composing Basic regions in the origin of bar mine the weather of Europe and Wes How to record and schematize synop prolonged periods of time Quantitative evaluation of peculia circulation	a 3-7 day weather forecast 7 ric formations which deter- tern Siberia 8 stic processes for
Ch. II. Basic Principles in Isolatin the Same Type The synoptic period Evolution of a deformed field in a Evolution of a planetary altitudin homogeneous macrosynoptic process Card 2/4	27 28 a synoptic period 33

APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721120012-5"

Forecasting Weather for Three (Cont.) SOV/1232	39
The elementary synoptic process Boundaries of synoptic periods and their relationship to Boundaries of the planetary altitudinal frontal zone	41
Advance Forecasting of Rome P	48
Circulation characteristics	48
Forecasting circulation conditions for any macroprocesses	59
independency of the indepe	73
Forecasting the general character of period	73 76
remaining days Using the average three-level map Using the average three-level map Forecasting the development of baric formations during a synoptic period	78
Card 3/4	
	The elementary synoptic process Boundaries of synoptic periods and their relationship to the development of the planetary altitudinal frontal zone Circulation Forecasting circulation characteristics of a particular elementary synoptic process Forecasting circulation conditions for any three days, Forecasting circulation conditions for any three days, Forecasting circulation conditions for any three days, Forecasting altitudinal and Near-surface Baric, Fields for 4-5 Days Forecasting the general character of a baric field for the remaining days of a current synoptic period Using the average three-level map Forecasting the development of baric formations during a synoptic period

SOV/137-58-11-23808

Translation from: Referativnyy zhurnal. Metallurgiya, 1958, Nr 11, p 276 (USSR)

Zhdanov, A. K., Khadeyev, V. A., Kats, A. L.

Amperometric Titration of Trivalent Iron With Ascorbic Acid and AUTHORS: TITLE:

Sodium Versenate B (Amperometricheskoye titrovaniye trekhvalent-

nogo zheleza askorbinovoy kislotoy i trilonom B)

PERIODICAL: Uzb. khim. zh., 1958, Nr 1, pp 27-34

ABSTRACT:

More precise procedures are given for titrating Fe3+ with ascorbic acid (I) and sodium versenate B (II). The experiments were carried out on an ordinary visual polarographic apparatus with a revolving Pt microelectrode. It is shown that the titration of Fe3+ with I can be carried out within a broad range of acidity up to pH + 0. The optimum concentration of acid is 0.28 - 1 mole/liter. The lowest rate at which equilibrium is attained was observed close to the point of equivalence.

The presence of air O₂ has no effect on the results of titration of Fe³t with I. Small amounts of Fe titrate better than large amounts. The optimum condition leading to the titration of Fe3+ with II is an acidity of 0.1 mole/liter HCl, overrated results are produced at a higher. acidity. Titration of small amounts of Fe is best done in the presence

Card 1/2

SOV/137-58-11-23808

Amperometric Titration of Trivalent Iron With Ascorbic Acid and (cont.)

of an acetate buffer. A study of the effect of foreign ions showed that the results of the titration of Fe are affected by Ni and Cu and impeded by Zn and Cd only when their amount is 10-20 times higher than the Fe contents. A comparison is made heliveen the ascorbic acid and the chelatometric methods of the titration of Fe as to their processing. their precision, reproducibility, and selectivity, as well as speed and convenience.

Card 2/2

CIA-RDP86-00513R000721120012-5" APPROVED FOR RELEASE: 06/13/2000

A.L. KATS sov/3794 PHASE I BOOK EXPLOITATION SOV/49-M-74 13.2

Tsentral'nyy institut prognozov

Voprosy dolgosrochnykh prognozov pogody (Problems in Long-Range Moscow. Weather Forecasting) Moscow, Gidrometeoizdat, 1959. 72 p. (Series: Its: Trudy, vyp. 74) 800 copies printed.

Sponsoring Agency: USSR. Sovet Ministrov. Glavnoye upravleniye gidrometeorologicheskoy sluzhby.

Ed. (Title page): N.A. Bagrov; Ed. (Inside book): V.I. Tarkhunova;

PURPOSE: The publication is intended for scientific workers, employees of the weather forecasting service, and students of hydrometeorological institutes and universities.

COVERAGE: This is a collection of 7 articles dealing with the problem of long-range weather forecasting. Some articles contain specific recommendations for charting monthly or mean-range forecasts, and others deal with the theoretical problems of weather forecasting Card 1/3

CIA-RDP86-00513R000721120012-5" APPROVED FOR RELEASE: 06/13/2000

Problems in Long-Range (Cont.) No personalities are mentioned. References are given at the end of each article.	
TABLE OF CONTENTS: Bagrov, N.A. Analytical Representation of the Sequence of Meteoro- logical Fields by Means of Natural Orthogonal Components logical Fields by Means of Natural Stationary Anticyclones	3
Kalmykova, N.M. Formation of Continental Stationary Anticy Kalmykova, N.M. Formationary Anticy Kalm	25
face Utilizing Some Characteristics of the Conversion of the C	32
Macroprocesses of Synoptic Seasons for Macroprocesses of Synoptic Seasons for Functions of the Importance Morskoy, G.I. Computation of Empirical Functions of the Importance for Forecasting of the Nonzonal Fart of Mean Monthly Altitude Anomalies of 500 mb Isobaric Surfaces	40
card 2/3.	

sov/3794	
Problems in Long-Range (Cont.) Rafailova, Kh.Kh. Application of the Regularities in the Change 500 Anomalies in Forecasting the Surface Baric Tendency Field 1000	of of
or 1000 Anomalies in Period	47
Bagrov, N.A. Analogy of Meteorological Fields and Evaluation	56 69
Morskoy, G.I. Forecasting by Baric Topography Charts AVAILABLE: Library of Congress JA/C	dw/jb 28-60
Card 3/3	

KHRABROV, Yuriy Borisovich; KATS, A.L., otv.red.; BLINNIKOV, L.V., red.; ZARKH, I.M., tekhn.red.

[Methods for compiling weather forecasts for three to seven days] Metodika sostavleniia prognozov pogody na 3 -7 dnsf.

Moskva, Gidrometeor. isd-vo, 1959. 181 p. (NIRA 12:7)

(Weather forecasting)

3(7) AUTHOR:

Kats, A. L.

SOV/50-59-5-1/22

TITLE:

G-meral Circulation Index as Indicator of Zonal and

Meridional Syroptic Processes (Obshchiy indeks tsirkulyatsii kak pokazater

zonal'nykh i meridional'nykh sinopticheskikh protsessov)

PERIODICAL:

Meteorologiya i gidrologiya, 1959, Nr 5, pp 3-8 (USSR)

ABSTRACT:

In an earlier paper (Ref 1), the author suggested the method of a unified quantitative evaluation of the zonal (I_z) and

meridional (I_m) circulation. The quantity of air participating in the zonal or meridional air exchange is determined by the

meridional or zonal pressure gradients respectively. To analyze the change in the contributions of each of these components, it proved to be convenient to introduce a further characteristic, the general characteristic of the circulation. It either characterizes the ratio of intensity of the zonal to the meridional circulation (I), or of the meridional to

the zonal circulation (I'). With the help of these characteristics, and on the basis of average data of many years for the northern hemisphere, it was possible to obtain

Card 1/4

General Circulation Index as Indicator of Zonal and Maridional Graceptic Processes

SOV/50-59-5-1/22

characteristics for the annual course of single components of the total circulation, their correlations and the changes in these characteristics with the change in latitude and height (Refs 2, 3). The most important conclusion in the analysis of the curves for the changes of the characteristics I_z , I_m and I in the course of many years is that all these curves show a considerable annual course which is analogous for all levels of the troposphere and depends on the change of the zonal and meridional temperature gradients. As on the northern hemisphere one and the other temperature gradients occur at the same time, there is a complicated correlation between zonal and meridional circulation. On the basis of only one component of the total circulation in the atmosphere, it is therefore not possible to obtain a proper idea of the real state of total circulation in the atmosphere, as well as of the question as to whether one or the other process is a meridional or a zonal one. This is explained here by means of data. It is shown that the general characteristic of circulation is more convenient

Card 2/4

General Circulation Index as Indicator of Zoral and Sov/50-59-5-1/22 Meridional Synoptic Processes

in this respect. It is calculated in the form of . It is of importance that its amount is much greater in the meridional synoptic processes than in the zonal ones. - It is shown that the value of I' = 0.75 may be regarded as a criterion: $I' \leq 0.75...$ zonal, I' > 0.75 ... meridional synoptic processes. This criterion was checked for the time between 1953 and 1957, and proved to be correct. Besides these homogeneous zonal and homogeneous meridional synoptic processes, there are also heterogeneous processes (from 1938 to 1957, 23 % of all processes were heterogeneous). Among these occur processes with an intense meridional air exchange in the northern half of the zone when there are zonal processes in the southern half (10 %), and processes with intense meridional processes in the southern half of the zone with zonal processes in the northern half (13 %). The data obtained for 1938 - 1957 show that the homogeneous zonal circulation amounts to 41 %, the homogeneous meridional circulation to 36 %, and the

Card 3/4

General Circulation Index as Indicator of Zonal and Maridional Synoptic Processes

SOV/50-59-5-1/22

heterogeneous mixed forms amount to 10 and 13 %. As the mixed forms are virtually forms of meridional circulation, the annual average amounts to 59 % of meridional, and 41 % of zonal processes. Finally, it is stated that the zonal and meridional processes can be objectively and accurately determined by the value of I'. There are 1 figure, 2 tables, and 4 references, 3 of which are Soviet.

Card 4/4

PHASE I BOOK EXPLOITATION

sov/5148

Kats, Abram L'vovich

Sezonnyye izmeneniya obahchey tsirkulyatsii atmosfery i dolgosrochnyye prognozy (Stasonal Changes in the General Circulation of the Atmosphere and Long-Range Forecasting) Leningrad, Gidrometeoizdat, 1960. 269 p. Errata slip inserted. 3,000 copies printed.

Ed.: N.V. Sagatovskiy; Tech. Ed.: O.G. Vladimirov.

PURPOSE: This book is intended for scientific and technical personnel working in the field of hydrometeorology, particularly in long-range hydrometeorological forecasting.

COVERAGE: The book presents the results of long-range studies of the horizontal components of general atmospheric circulation in the troposphere and the lower stratosphere for the northern hemisphere. The characteristics of synoptic processes in the Atlantic-Eurasian region are discussed and the seasonal characteristics of mean long-range trends in general atmospheric circulation and climate are analysed. Relationships between long-range changes in atmospheric

Card 1/6

Seasonal Changes (Cont.)

sov/5148

circulation and solar activity are used to explain climatic variations during the last several decades, and to make forecasts of the climatic trends. The following scientists are mentioned: Professor G.Ya. Vangengeym, Candidate of Sciences T.P. Pokrovskaya, Professor Kh.P. Pogosyan, Professor S.P. Khromov, Doctor of Sciences N.A. Belinskiy, Doctor of Sciences G.D. Zubyan, Candidate of Sciences V.G. Shishkov, Candidate of Sciences V.M. Kurganskaya, Senior Technician Z.I. Raykova, Senior Technician G.N. Kochetova. There are 320 references: 237 Soviet, 26 German, 54 English, 2 Czech, and 1 French.

TABLE OF CONTENTS:

From the Author	3
Introduction	4
 Ch. I. Seasonal Variations of Horizontal Components of General Atmospheric Circulation and Their Quantitative Evaluation On the quantitative evaluation of the intensity of circulation 	17 17
Card 26	

KATS, A.L.; POGOSYAN, Kh.P.

"Fundamentals of long-range weather forecasting" by A.A. Girs.
Reviewed by A.L.Kats. Meteor. i gidrol. no.1:57-61 Ja '61.

(MIRA 14:1)

(Weather forecasting)

(Girs, A.A.)

KATS, A.L.

Characteristics of empirical influence functions in the Northern Hemisphere for 3-5 day forecasts of the baric field based on monotypic initial large-scale processes. Meteor. i gidrol. no.12:

(MIRA 14:11)

(Statistical weather forecasting)

BUGAYEV, V.A., prof.; KATS, A.L., doktor geograficheskikh nauk

Is the climate changing. Starsh.-serzh. no.1:38-39 Ja 162. (MIRA 15:4)

Direktor TSentral nogo instituta prognozov pogody (for Bugayev).
 Nachal nik sektora dolgosrochnykh prognozov pogody TSentral nogo instituta prognozov pogody (for Kats).
 (Climatology)

ASTAPENKO, P.D.; BEL'SKAYA, N.N.; BUSHUK, V.I.; BUSHUK, O.A.; GUROV, V.P.; ZUBYAN, G.D.; KATS, A.L.; MININA, L.S.; MOROZKIN, A.A.; PAVLOVSKAYA, A.A.; POGOSYAN, Kh.P.; SAMOYLOV, A.I.; SMIRNOV, P.I.; TARAKANOV, G.G.; TURKETTI, Z.L.; CHERNOVA, V.F.; CHISTYAKOV, A.D;

[Synoptic atlas for schools] Uchebnyi sinopticheskii atlas. Pod red. Kh.P.Pogosiana. 3, perer. i dop. izd. Leningrad, Gidrometee izdat, 1962. 217 gold.col.maps. (MIRA 16:3)

[Assignments for students] Zadaniia dlia uchashchiksia. Pod red. Kh.P.Pogosiana. 138 p. [Methodological instructions and recommendations for teachers] Metodicheskie ukazaniia i rekomendatsii dlia prepodavatelei. Pod red. Kh.P.Pogosiana. 73 p. (Meteorology—Charts, diagrams, etc.)

s/169/63/000/002/036/127 D263/D307

AUTHOR:

Kate, A. L.

TITLE:

Macrosynoptic studies of the overall atmospheric cir-

culation and long range forecasts

PERIODICAL: Referativnyy zhurnal, Geofizika, no. 2, 1963, 43-44, abstract 2B296 (Tr. 1-y Nauchn. konferentsii po ob-shch. tsirkulyatsii atmosfery, 1960, M., Gidrometeoiz-

dat, 1962, 3-12)

TEXT: A brief review of macrosynoptic studies of the overall atmospheric circulation, carried out over the past 20 years in the USSR and abroad. Systematization and generalization of observations up to 20 - 30 km over the northern (and partly over the southern) up to 20 - 30 km over the northern for the characteristics of air hemisphere allowed a definition of long-term characteristics of air movements in the various layers of the troposphere and lower stramovements in the various layers of the troposphere and lower stramovements. to sphere, a determination of the characteristic features of the effect of thermobaric fields and temperature differences in the troposphere on the peculiarities and geographic localization of

Card 1/3

Nacrosynoptic studies of ...

S/169/63/000/002/036/127 D263/D307

cyclonic activity, a determination of the occurrence of cyclones and anticyclones, a demonstration of seasonal deformations of the westerly transport in the troposphere under the influence of temperature differences between land masses and oceans, and an explanation of these deformations from a quantitative analysis of thermoand hydrodynamic equations. Spatial characteristics of current flows, their connection with atmospheric fronts and various macroprocesses, their nature and the mechanism of their evolution were studied. No generally accepted theory has, however, as yet been proposed concerning the formation and evolution of current flows. Statistical and theoretical studies showed that the climatic high pressure zones in the subtropics are not the result but the cause of the trade winds. The more important horizontal nonuniformities of the troposphere and the stratosphere were discovered. Considerable contributions to the study of overall circulation were made by works on the geographic distribution of monsoons, although no generally accepted scheme as yet exists of the whole complex of phenomena connected with the circulation of monsoons. Successes in -the study of overall atmospheric circulation have still not led to

Card 2/3

Macrosynoptic studies of ...

S/169/63/000/002/036/127 D263/D307

reliable methods of long range weather forecasting. The reasons for this are insufficient study of the whole problem and the absence of overall schemes describing the circulation. An account is given of the problems of overall circulation studies, directed towards the resolution of the whole question and improvement in the reliability of long range weather forecasts. One of the more important problems is the convergence of general circulation studies with the needs of long range forecasting, and bringing these studies to definite prognostic conclusions. The greatest possibilities are believed to lie in the dynamic and meteorological study of the overall circulation, using hydrodynamic methods for the calculation of limit remains forecasts with the aid of rapid electronic computers. Abstractor's note: Complete translation.

Card 3/3

"APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721120012-5

\$/169/63/000/003/027/042 D263/J367

AUTHOR:

Kats, A.L.

TITLE:

Multiyear changes of overall atmospheric circulation and some aspects of long-range weather forecasting

PERCOLOUE:

Referstivnyy shurnal, Geofizika, no. 5, 1963, 39, abstract 3B227 (Tr. 1-y Mauchn. konferentsii po obsheh. tsirkulyatsii atmosfery, 1960, M., Gidrometeoisdat, 1962, 78-84)

mospheric circulation in the zone 35-70°N by means of quantitative parameters (indices of zonality (I_z) and meridionality (I_z) and also current) allowing an objective classification of macro recent conding to the intensity and form of circulation. The author observational levels of the troposphere and the lower atmosphere, and the differences in the intensity and amplitudes of these changes. Sire-Card 1/2

Eultiyear changes ...

a in the man and the contract and an arrival and an arrival and arrival arrival arrival and arrival ar

S/169/63/000/003/027/042 **D263/**0307

culation indices allow an objective classification of macroprocesses into zonal and meridional, and permit 2 new qualitative parameter Nm and Nm to be obtained, (nos. of days with meridional and notice. air-chehanges for given intervals of time). A choose character of is given of the intensity of sonal and revidienal aftermount heights of up to 16-19 km, for various zones of the nerthern heights of the values of the nerthern heights, here, as well as an analysis of the values of l_{2} , l_{1} , l_{2} and l_{2} from multiyear data. With the aid of circulation indices it was possible to separate 4 main forms of meridional macroprocesses in dependence on the geographic localization of the disturbances by the global height of the frontal zone, to obtain contain climate characteristics (temperature, precipitation) of zonal and moridional processes of various forms for various regions of European USEL and Western Siberia, to elucidate seasonal peculiarities of the distribution of temperature anomalies of various signs, eve. The commissition of circulation indices is currently used in the scarch for projnectic symptoms of the transformations of macroprocesses, 3-10 days and longer periods ahead. [Abstractor's note: Complete translation] Card 2/2

POGOSYAN, Kh.P., nauchnyy red.; <u>KATS</u>, A.L., nauchnyy red.; KHRABROV, Yu.B., nauchnyy red.; USMANOV, R.F., nauchnyy red.; <u>BLINNIKOV</u>, L.V., red.; ZARKH, I.M., tekhn. red.

[Transactions of the First Conference on General Atmospheric Circulation, March 14-18, 1950]Trudy Nauchnof konferentsii po voprosam obshchal tsirkuliatsii atmosfery. 1st, Moscow. Moskva, Gidrometeoizdat (otdelenie) 1962. 231 p.

(MIRA 16:4)

1. Nauchnaya konferentsiya po voprosam obshchey tsirkulyatsii atmosfery. 1st, Moscow, 1960. 2. TSentral'nyy institut prognozov, Moskva (for Pogosyan, Kats, Usmanov).

(Atmosphere)

KATS, A. L.; BEDRINA, V. S.; POZDNYAKOVA, V. A.

Use of empirical influence functions to forecast changes in pressure for 3 to 5 days from the resulting monotype macroprocesses. Trudy TSIP no.11983-23 '62. (MIRA 16:1)

4 (Atmospheric pressure)

KATS, A. L.; KHRABROV, Yu. B.; FEDULOVA, M. N.; YAKUSHEVA, O. M.

Use of empirical influence functions to forecast mean values of H₅₀₀ at the present time and the tendency for the subsequent synoptic period. Trudy TSIP no.119:24-35 162.

(MIRA 16:1)

(Atmospheric pressure)

KATS, A.L.

Exchange of air in the tropical zone and its relation to general atmospheric circulation. Meteor.i gidrol. no.2:3-14 F *63. (MIRA 16:2)

1. TSentral'nyy institut prognozov.
(Tropics-Winds)

KATS, A.L., doktor geograf.nauk; KNYAZEVA, V.I.; TOKUNOVA, A.I.

Objective forecasting of the mean value of H500 of the synoptic period. Meteor. i gidrol. no. 2:32-36 F '64. (MIRA 17:5)

1. TSentral'nyy institut prognozov.

ACCESSION NR: APHOLO737

s/0050/64/000/006/0003/0010

AUTHOR: Kats, A. L. (Doctor of geographical sciences)

TITLE: Biennial cyclicity in the equatorial stratosphere and the general circulation of the atmosphere

SOURCE: Meteorologiya i gidrologiya, no. 6, 1964, 3-10

TOPIC TAGS: atmosphere, stratosphere, wind direction

ABSTRACT: High radio soundings from ships during Soviet expeditions (1960-62) have shown that seasonal and nonperiodic fluctuations occur in addition to biennial cycles. Different averaging of data on wind leads to smoothing of what is, in fact, more complex vertical structure in the zonal components of circulation of the troposphere and lower stratosphere in equatorial and tropical latitudes. Data from the indicated expeditions show that, except for east to west combinations, recurrence of more complex combinations increases in the equatorial zone, decreases away from this zone. It is understood that interaction of processes of both hemispheres occurs in the equatorial zone. The author discusses global circulation in the stratosphere, considering dominant eastern and western trends in the equatorial zones that derive from dominant circumpolar cyclonic winds in winter and

ACCESSION NR: APLOLO737

from anticyclonic winds in summer. In the transition from winter to summer circulation (and the reverse), the eastward current is more intense and persistent and may disturb the biennial cyclicity. The author discusses conditions for establishing a well-defined westward current in the equatorial zone. He points out the existence of a real connection between biennial cyclical variations of zonal currents in the equatorial zone and global circulation, at least in the stratosphere, and also in the troposphere. Winter months with a dominant westerly equatorial stratospheric current developing after winter months with an easterly current must be characterized by relatively higher pressures in high latitudes and by a considerable weakening in zonal circulation and a relative increase in meridional circulation in the middle latitudes. The reverse is true when easterly circulation is established after months of westerly current. Orig. art. has: 3 figures and 2 tables.

ASSOCIATION: Tsentral nywy institut prognozov (Central Forecasting Institute)

SUBMITTED: 18Mar64

ENCL: 00

SUB CODE: ES

NO REF SOV: OOL

other: 004

Card 2/2